Trade name : Revision date : Print date : Cedarwood Oil Type Atlas (1000949) 30.09.2016 08.11.2017

Version (Revision) :

8.0.0 (7.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Cedarwood Oil Type Atlas (1000949)

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Perfumes, Fragrances, Flavouring agents

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects. Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components TERPENEHYDROCARBO	-
Hazard statements	
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.
Precautionary state	
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P331	Do NOT induce vomiting.
P391	Collect spillage.
P405	Store locked up.
Special rules for sup	plemental label elements for certain mixtures
EUH208	Contains LONGIFOLENE [M-Faktor=10].May produce an allergic reaction.
Other hazards	

None

SECTION 3: Composition/information on ingredients

(EN/D)

2.3

Page : 1 / 6

Trade name :	Cedarwood Oil Type Atlas (1000949)		
Revision date :	30.09.2016	Version (Revision) :	8.0.0 (7.0.0)
Print date :	08.11.2017		

Ceddarwood oil EINECS/ELINCS: 294-939-5 CAS: 91771-47-0

3.2 Mixtures

 Hazardous ingredients

 TERPENEHYDROCARBONS

 Weight fraction :
 ≥ 75 - < 80 %</td>

 Classification 1272/2008 [CLP] :
 Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304

 LONGIFOLENE [M-Faktor=10] ; EC No. : 207-491-2; CAS No. : 475-20-7 (M=10)

 Weight fraction :
 ≥ 0,5 - < 1 %</td>

 Classification 1272/2008 [CLP] :
 Asp. Tox. 1 ; H304 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

 Additional information
 Hat an additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change contaminated, saturated clothing.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Sand Foam Carbon dioxide (CO2) Dry extinguishing powder

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

• None

Water

5.3 Advice for firefighters

Move undamaged containers from immediate hazard area if it can be done safely. Remove product from area of fire.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

(EN/D)

Trade name :	Cedarwood Oil Type Atlas (1000949)		
Revision date :	30.09.2016	Version (Revision) :	8.0.0 (7.0.0)
Print date :	08.11.2017		

Use personal protection equipment. Remove all sources of ignition. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Wear personal protection equipment (refer to section 8). When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Use only in well-ventilated areas. **Measures to prevent fire**

Take precautionary measures against static discharges. Keep away from sources of ignition. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage Storage class (TRGS 510): 10

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye glasses with side protection goggles

Skin protection

Hand protection

Tested protective gloves must be worn Wear cotton undermitten if possible. NBR (Nitrile rubber) DIN EN 374

Respiratory protection

Usually no personal respirative protection necessary. Respiratory protection necessary at: dust formation insufficient ventilation

General health and safety measures

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

liquid

Colour : yellow

Odour

characteristic

Safety relevant basis data

 Initial boiling point and boiling range :
 (1013 hPa)
 >
 200 °C

Trade (Revisio Print d	on date :	Cedarwood Oil Type Atlas (1000949) 30.09.2016 08.11.2017		Version	(Revision) :	8.0.0 (7.0.0)
9.2	Flash point : Vapour pressure : Density : Solubility in water: Solubility in other solvent: Other information None	(50 ℃) (20 ℃) (20 ℃)	> <	100 300 0,93 practically insoluble soluble in diff. org. solvents	°C hPa g/cm ³	
SEC	TION 10: Stability and	d reactivity				
10.1 10.2 10.3 10.4	Conditions to avoid	lous reactions andled and stored according to provisions.				
10.5	No information available. Incompatible mater Acid Bases	ials				
10.6	Hazardous decompo No known hazardous decompo	-				
SEC	TION 11: Toxicologica	al information				
11.1	Information on toxi No information available.	cological effects				
SEC	TION 12: Ecological in	nformation				
12.1	Toxicity					

12.1 Toxicity

No information available.

- 12.2 Persistence and degradability No information available.
- 12.3 **Bioaccumulative potential** No information available.

12.4 Mobility in soil No information available.

- 12.5 **Results of PBT and vPvB assessment** No information available.
- 12.6 Other adverse effects No information available.
- 12.7 Additional ecotoxicological information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Evidence for disposal must be provided.

SECTION 14: Transport information

(EN/D)

Trade r Revisio Print da	an date : 30.09.2016	Atlas (1000949)	Version (Revision) :	8.0.0 (7.0.0)
14.1	UN number UN 3082			
14.2	UN proper shipping name Land transport (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU	ID, N.O.S. (contains LONGIFOLENE)		
	Sea transport (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU	ID, N.O.S. (contains LONGIFOLENE)		
	Air transport (ICAO-TI / IATA-DGR) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU	ID, N.O.S. (contains LONGIFOLENE)		
14.3	Transport hazard class(es) Land transport (ADR/RID) Class(es) : Classification code : Hazard identification number (Kemler No.) : Tunnel restriction code : Special provisions : Hazard label(s) :	9 M6 90 E LQ 5 I · E 1 · ADR : - (SP 375 <= 5 I/kg) 9 / N		
	Sea transport (IMDG) Class(es) : EmS-No. : Special provisions : Hazard label(s) :	9 F-A / S-F LQ 5 I · E 1 · IMDG : - (SP 2.10.2.7 <= 5 l/kg) 9 / N		
	Air transport (ICAO-TI / IATA-DGR) Class(es) : Special provisions : Hazard label(s) :	9 E 1 · IATA : - (SP A197 <= 5 l/kg) 9 / N		
14.4	Packing group			
14.5	III Environmental hazards Land transport (ADR/RID) : Yes Sea transport (IMDG) : Yes (P) Air transport (ICAO-TI / IATA-DGR) : Yes			
14.6	Special precautions for user None			
SEC	FION 15: Regulatory information			

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Observe in addition any national regulations!

National regulations Water hazard class (WGK)

Class : 2 (Hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

The readings in this Material Safety Data Sheet are valid for professional users Depending on kind of use the expeller should keep in mind additional legal regulations if applicable (such as childproof closures, sense of touch symbols, instructions for use, additional precautionary statements or special labelling rules et.al)

16.1 Indication of changes

02. Label elements · 03. Hazardous ingredients · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

(EN/D)

Trade name :	Cedarwood Oil Type Atlas (1000949)		
Revision date :	30.09.2016	Version (Revision) :	8.0.0 (7.0.0)
Print date :	08.11.2017		

[CLP]

No information available.

16.5	Relevant H- and EUH-phrases (Number and full text		
	H226	Flammable liquid and vapour.	
	H304	May be fatal if swallowed and enters airways.	
	H317	May cause an allergic skin reaction.	
	H400	Very toxic to aquatic life.	

H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.